

# Dealer Bulletin # DB2024-18 GPS/GEO FENCING/SCREEN MIRRIORING INSTRUCTIONS

## GPS & GEOFENCING OPERATION

1. Buy a 4G SIM card.
2. Open the cover and insert the SIM card (seen right).
3. Download the Track solid pro APP.
4. Sign Up and create an account.

1. Select your country.

**Note: When you select your country or region, this cannot be changed. Please select carefully.**

2. Enter your email address.
3. Next to verification code, press the arrow (see right) this will prompt an email to be sent with a code that you need to enter in the verification section.
4. Create your password
5. Confirm your password
6. Select the I agree box and submit.

Select agree and continue, in the next pop-up box.

## HOW TO ADD A DEVICE


- Select the plus symbol in the top right corner.
- Scan the QR Code or enter the IMEI No of the device.

Note: The QR Code and the IMEI No of the device can be found under the tiller of the scooter. Seen below.




# Dealer Bulletin # DB2024-18 GPS/GEO FENCING/SCREEN MIRRORING INSTRUCTIONS

- Select add device.
  - This will take you to a page where you will need to fill in the details.
1. Device name
  2. Plate No. (this can be found on the tiller) SN Number.
  3. Driver Name.
  4. Contact Number.
  5. Device Icon.
  6. Press save.




## SETTING UP GEO FENCING


1. Select GEO fencing in your Track Solid application.
2. Select your default group. (Eg. VLO3-38076) or select default group Press add GEO Fence.



3. Add in your preferred GEO Fencing settings and select save.  
Picture 1.
4. Then you should be taken to a page that looks like picture 2.  
Note: you can add more than 1 GEO Fence setting.



Picture 1



Picture 2


# Dealer Bulletin # DB2024-18 GPS/GEO FENCING/SCREEN MIRRORING INSTRUCTIONS

## HOW TO SET UP SCREEN MIRRORING FROM PHONE TO SCOOTER


1. Download the application – Eylink



2. Make sure your Bluetooth is on and your WIFI is turned on.
3. When you open the application, it will bring you to Picture 1. page.
4. You will be asked to join a Wi-Fi network – **iteAP** - Select Join.
5. You will have a drop-down device number – please select.
6. Your phone will bring up the following screen. (Picture 2)




1.



2.

Project mobile phone screen to Dashboard using mobile phone screen projection functions

usage method:  
Click the [Start Screen Mirroring] button at the bottom of the page, ensure that the [EYLink] option is selected in the pop-up screen recording authority interface, and click [Start Broadcast]



Note: When projecting mobile phone screen, please keep the screen on

Exit Screen Mirroring

3.

7. Select **Screen Mirroring** and then select **Start Broadcast** this will mirror your phone screen onto the scooter LCD screen. Go back to your track solid app and set your GPS Coordinates and select your geo fencing.